## a.) Amendment to the Claims:

(Currently Amended) An Hsp90 family protein inhibitor
 comprising, as an active ingredient, a benzene derivative represented by general formula
 (I):

$$R^3$$
 $R^4$ 
 $R^5$ 
 $R^5$ 
 $R^6$ 
 $R^6$ 
 $R^1$ 
 $R^1$ 

{wherein

n represents an integer of 0 to 10;

R<sup>1</sup> represents a hydrogen atom, a hydroxy, a cyano, a carboxy, a nitro, a halogen, a substituted or unsubstituted lower alkyl, a substituted or unsubstituted lower alkenyl, a substituted or unsubstituted cycloalkyl, a substituted or unsubstituted lower alkoxycarbonyl, a substituted or unsubstituted aroyl, a substituted or unsubstituted lower alkanoyl, a substituted or unsubstituted heterocyclic-alkyl, a substituted or unsubstituted aryl, a substituted or unsubstituted aralkyl, a substituted or unsubstituted arylsulfonyl, a substituted or unsubstituted heterocyclic group, -CONR<sup>7</sup>R<sup>8</sup> (wherein R<sup>7</sup> and R<sup>8</sup>, which may be the same or different, each represent a hydrogen atom, a substituted or unsubstituted lower alkyl, a substituted or unsubstituted or unsubstituted lower alkanoyl, a substituted or unsubstituted or unsubstituted heterocyclic group, a substituted or unsubstituted heterocyclic group, a

substituted or unsubstituted aralkyl a substituted or unsubstituted heterocyclic-alkyl or a substituted or unsubstituted aroyl, or R<sup>7</sup> and R<sup>8</sup> form a substituted or unsubstituted heterocyclic group together with the adjacent nitrogen atom), -NR9R10 [wherein R9 and R<sup>10</sup>, which may be the same or different, each represent a hydrogen atom, a substituted or unsubstituted lower alkylsulfonyl, a substituted or unsubstituted lower alkyl, a substituted or unsubstituted cycloalkyl, a substituted or unsubstituted lower alkanoyl, a substituted or unsubstituted aryl, a substituted or unsubstituted heterocyclic group, a substituted or unsubstituted aralkyl, a substituted or unsubstituted heterocyclic-alkyl, a substituted or unsubstituted aroyl, or -CONR<sup>11</sup>R<sup>12</sup> (wherein R<sup>11</sup> and R<sup>12</sup> have the same meanings as the above R<sup>7</sup> and R<sup>8</sup>, respectively), or R<sup>9</sup> and R<sup>10</sup> form a substituted or unsubstituted heterocyclic group together with the adjacent nitrogen atom], or -OR<sup>13</sup> (wherein R<sup>13</sup> represents a substituted or unsubstituted lower alkyl, a substituted or unsubstituted lower alkenyl, a substituted or unsubstituted lower alkanoyl, a substituted or unsubstituted aryl, a substituted or unsubstituted heterocyclic group, a substituted or unsubstituted aralkyl or a substituted or unsubstituted heterocyclic-alkyl);

R<sup>2</sup> represents a substituted or unsubstituted lower alkyl, a substituted or unsubstituted lower alkenyl, a substituted or unsubstituted aryl or a substituted or unsubstituted heterocyclic group (but excepting a substituted or unsubstituted pyrazolyl);

R<sup>3</sup> and R<sup>5</sup>, which may be the same or different, each represent a hydrogen atom, a substituted or unsubstituted lower alkyl, a substituted or unsubstituted lower alkenyl, a substituted or unsubstituted cycloalkyl, a substituted or unsubstituted lower alkylsulfonyl, a substituted or unsubstituted or unsubstituted or unsubstituted or unsubstituted or unsubstituted or unsubstituted lower alkylsulfonyl, a substituted or unsubstituted lower

alkylaminocarbonyl, a substituted or unsubstituted di-lower alkylaminocarbonyl, a substituted or unsubstituted lower alkoxycarbonyl, a substituted or unsubstituted heterocyclic-carbonyl, a substituted or unsubstituted aralkyl or a substituted or unsubstituted aralkyl or a substituted or unsubstituted aroyl; and

R<sup>4</sup> and R<sup>6</sup>, which may be the same or different, each represent a hydrogen atom, a hydroxy, a halogen, a cyano, a nitro, a substituted or unsubstituted lower alkyl, a substituted or unsubstituted lower alkynyl, a substituted or unsubstituted lower alkoxy, a substituted or unsubstituted cycloalkyl, an amino, a lower alkylamino, a di-lower alkylamino, a carboxy, a substituted or unsubstituted lower alkoxycarbonyl, a substituted or unsubstituted aryloxy, a substituted or unsubstituted aryl, a substituted or unsubstituted heterocyclic group (but excepting a substituted or unsubstituted pyrazolyl), a substituted or unsubstituted lower alkanoyl, a substituted or unsubstituted or unsubstituted heterocyclic-alkyl}, or

a prodrug thereof, or a pharmaceutically acceptable salt thereof.

2. (Currently Amended) An Hsp90 family protein inhibitorcomprising, as an active ingredient, a benzene derivative represented by general formula(I):

$$R^3$$
 $O$ 
 $R^4$ 
 $R^5$ 
 $O$ 
 $R^6$ 
 $(CH_2)_n R^1$ 
 $(I)$ 

(wherein n, R<sup>1</sup>, R<sup>2</sup>, R<sup>3</sup>, R<sup>4</sup>, R<sup>5</sup> and R<sup>6</sup> have the same meanings as those defined above n represents an integer of 0 to 10;

R<sup>1</sup> represents a hydrogen atom, a hydroxy, a cyano, a carboxy, a nitro, a halogen, a substituted or unsubstituted lower alkyl, a substituted or unsubstituted lower alkenyl, a substituted or unsubstituted lower alkynyl, a substituted or unsubstituted cycloalkyl, a substituted or unsubstituted lower alkoxycarbonyl, a substituted or unsubstituted aroyl, a substituted or unsubstituted lower alkanoyl, a substituted or unsubstituted heterocyclic-alkyl, a substituted or unsubstituted aryl, a substituted or unsubstituted aralkyl, a substituted or unsubstituted arylsulfonyl, a substituted or unsubstituted heterocyclic group, -CONR<sup>7</sup>R<sup>8</sup> (wherein R<sup>7</sup> and R<sup>8</sup>, which may be the same or different, each represent a hydrogen atom, a substituted or unsubstituted lower alkyl, a substituted or unsubstituted cycloalkyl, a substituted or unsubstituted lower alkanoyl, a substituted or unsubstituted aryl, a substituted or unsubstituted heterocyclic group, a substituted or unsubstituted aralkyl a substituted or unsubstituted heterocyclic-alkyl or a substituted or unsubstituted aroyl, or R<sup>7</sup> and R<sup>8</sup> form a substituted or unsubstituted heterocyclic group together with the adjacent nitrogen atom), -NR9R10 [wherein R9 and R<sup>10</sup>, which may be the same or different, each represent a hydrogen atom, a substituted or

- 5 -

unsubstituted lower alkylsulfonyl, a substituted or unsubstituted lower alkyl, a substituted or unsubstituted cycloalkyl, a substituted or unsubstituted lower alkanoyl, a substituted or unsubstituted aryl, a substituted or unsubstituted heterocyclic group, a substituted or unsubstituted aralkyl, a substituted or unsubstituted heterocyclic-alkyl, a substituted or unsubstituted aroyl, or -CONR<sup>11</sup>R<sup>12</sup> (wherein R<sup>11</sup> and R<sup>12</sup> have the same meanings as the above R<sup>7</sup> and R<sup>8</sup>, respectively), or R<sup>9</sup> and R<sup>10</sup> form a substituted or unsubstituted heterocyclic group together with the adjacent nitrogen atom], or -OR<sup>13</sup> (wherein R<sup>13</sup> represents a substituted or unsubstituted lower alkyl, a substituted or unsubstituted lower alkenyl, a substituted or unsubstituted aryl, a substituted or unsubstituted aryl, a substituted or unsubstituted heterocyclic group, a substituted or unsubstituted aralkyl or a substituted or unsubstituted heterocyclic-alkyl);

R<sup>2</sup> represents a substituted or unsubstituted lower alkyl, a substituted or unsubstituted lower alkenyl, a substituted or unsubstituted aryl or a substituted or unsubstituted heterocyclic group (but excepting a substituted or unsubstituted pyrazolyl);

R<sup>3</sup> and R<sup>5</sup>, which may be the same or different, each represent a hydrogen atom, a substituted or unsubstituted lower alkyl, a substituted or unsubstituted lower alkenyl, a substituted or unsubstituted cycloalkyl, a substituted or unsubstituted lower alkylsulfonyl, a substituted or unsubstituted or unsubstituted arylsulfonyl, a carbamoyl, a sulfamoyl, a substituted or unsubstituted lower alkylaminocarbonyl, a substituted or unsubstituted di-lower alkylaminocarbonyl, a substituted or unsubstituted or unsubstituted or unsubstituted heterocyclic-carbonyl, a substituted or unsubstituted or unsubs

R<sup>4</sup> and R<sup>6</sup>, which may be the same or different, each represent a hydrogen atom, a hydroxy, a halogen, a cyano, a nitro, a substituted or unsubstituted lower alkyl, a substituted or unsubstituted lower alkynyl, a substituted or unsubstituted lower alkynyl, a substituted or unsubstituted cycloalkyl, an amino, a lower alkylamino, a di-lower alkylamino, a carboxy, a substituted or unsubstituted or unsubstituted or unsubstituted aryloxy, a substituted or unsubstituted aryloxy, a substituted or unsubstituted aryl, a substituted or unsubstituted aryl, a substituted or unsubstituted or unsubstituted lower alkanoyl, a substituted or unsubstituted lower alkanoyl, a substituted or unsubstituted or unsubstituted lower alkanoyl, a substituted or unsubstituted or unsubstituted heterocyclic-alkyl}) or a pharmaceutically acceptable salt thereof.

3. (Currently Amended) The Hsp90 family protein inhibitor according to elaim 1 or 2 claim 2, wherein R<sup>1</sup> is a hydrogen atom, a hydroxy, a cyano, a carboxy, a nitro, a halogen, a substituted or unsubstituted lower alkyl, a substituted or unsubstituted lower alkoxy, a substituted or unsubstituted cycloalkyl, a substituted or unsubstituted lower alkoxycarbonyl, a substituted or unsubstituted or unsubstituted or unsubstituted heterocyclic-alkyl, a substituted or unsubstituted or unsubstituted aryl, a substituted or unsubstituted arylsulfonyl, -CONR<sup>7</sup>R<sup>8</sup> (wherein R<sup>7</sup> and R<sup>8</sup> have the same meanings as those defined above, respectively) or -NR<sup>9</sup>R<sup>10</sup> (wherein R<sup>9</sup> and R<sup>10</sup> have the same meanings as those defined above, respectively).

- 4. (Currently Amended) The Hsp90 family protein inhibitor according to elaim 1 or 2 claim 2, wherein R<sup>1</sup> is a substituted or unsubstituted lower alkyl, a substituted or unsubstituted lower alkoxy, a substituted or unsubstituted cycloalkyl, a substituted or unsubstituted lower alkoxycarbonyl, a substituted or unsubstituted heterocyclic-alkyl, a substituted or unsubstituted or unsubstituted aryl, -CONR<sup>7</sup>R<sup>8</sup> (wherein R<sup>7</sup> and R<sup>8</sup> have the same meanings as those defined above, respectively), or -NR<sup>9</sup>R<sup>10</sup> (wherein R<sup>9</sup>-and R<sup>10</sup>-have the same meanings as those defined above, respectively).
- 5. (Currently Amended) The Hsp90 family protein inhibitor according to any of claims 1 to 4 claim 3 or 4, wherein R<sup>2</sup> is a substituted or unsubstituted aryl, or a substituted or unsubstituted aromatic heterocyclic group.
- 6. (Currently Amended) The Hsp90 family protein inhibitor according to any of claims 1 to 4 claim 3 or 4, wherein R<sup>2</sup> is a substituted or unsubstituted aryl.
- 7. (Currently Amended) The Hsp90 family protein inhibitor according to any of claims 1 to 4 claim 3 or 4, wherein R<sup>2</sup> is a substituted or unsubstituted phenyl.

- 8. (Currently Amended) The Hsp90 family protein inhibitor according to any of claims 1 to 4 claim 3 or 4, wherein R<sup>2</sup> is a substituted or unsubstituted furyl.
- 9. (Currently Amended) The Hsp90 family protein inhibitor according to any of claims 1 to 8 claim 1 or 2, wherein R<sup>4</sup> is a hydrogen atom, a hydroxy, or a halogen.
- 10. (Currently Amended) The Hsp90 family protein inhibitor according to any of claims 1 to 9 claim 1 or 2, wherein R<sup>3</sup> and R<sup>5</sup>, which may be the same or different, each are a hydrogen atom, a substituted or unsubstituted lower alkyl, a substituted or unsubstituted lower alkanoyl, a substituted or unsubstituted aroyl, a substituted or unsubstituted lower alkylaminocarbonyl, a substituted or unsubstituted or unsubstituted lower alkylaminocarbonyl, a substituted or unsubstituted lower alkylaminocarbonyl, a substituted or unsubstituted lower alkylaminocarbonyl, or a substituted or unsubstituted heterocyclic-carbonyl.
- 11. (Currently Amended) The Hsp90 family protein inhibitor according to any of claims 1 to 8 claim 1 or 2, wherein R<sup>3</sup>, R<sup>4</sup> and R<sup>5</sup> are hydrogen atoms.
- 12. (Currently Amended) A benzene derivative represented by general formula (IA):

[wherein R<sup>2A</sup> represents a substituted or unsubstituted aryl, or a substituted or unsubstituted aromatic heterocyclic group (but excepting a substituted or unsubstituted pyrazolyl);

R<sup>3A</sup> and R<sup>5A</sup>, which may be the same or different, each represent a hydrogen atom, a substituted or unsubstituted lower alkyl, a substituted or unsubstituted lower alkenyl, a substituted or unsubstituted lower alkanoyl, a carbamoyl, a sulfamoyl, a substituted or unsubstituted lower alkylsulfonyl, a substituted or unsubstituted lower alkylaminocarbonyl, a substituted or unsubstituted or unsubstituted or unsubstituted or unsubstituted heterocyclic-carbonyl, a substituted or unsubstituted or uns

R<sup>4A</sup> represents a hydrogen atom, a hydroxy, or a halogen;

nA represents an integer of 0 to 5;

provided that;

(1) when nA is 0,

then R<sup>1A</sup> is a hydrogen atom, a methyl, a hydroxy, a methoxy, a carboxyl, a methoxycarbonyl, a carbamoyl, -CONHCH<sub>3</sub>, -CON(CH<sub>3</sub>)<sub>2</sub>, -CONHCH<sub>2</sub>Ph (wherein Ph represents a phenyl), -CH(OCH<sub>3</sub>)Ph (wherein Ph has the same meaning as that defined above), a propionyl, a benzoyl, a dioxolanyl, a substituted or unsubstituted vinyl, or a substituted or unsubstituted prop-1-en-1-yl;

and when R<sup>1A</sup> is a hydrogen atom,

then R<sup>6A</sup> is a substituted or unsubstituted lower alkyl;

when R<sup>1A</sup> is a methyl, a hydroxy, a methoxy, a carboxyl, a methoxycarbonyl, a carbamoyl, -CONHCH<sub>3</sub>, -CON(CH<sub>3</sub>)<sub>2</sub>, -CONHCH<sub>2</sub>Ph (wherein Ph has the same meaning as that defined above), a propionyl, a benzoyl, a dioxolanyl, a substituted or unsubstituted vinyl, or a substituted or unsubstituted prop-1-en-1-yl,

then R<sup>6A</sup> is a halogen;

(2) when nA is an integer of 1 to 5,

then R<sup>1A</sup> is a hydroxy, a cyano, a carboxyl, a halogen, a substituted or unsubstituted lower alkyl, a substituted or unsubstituted lower alkynyl, a substituted or unsubstituted cycloalkyl, a substituted or unsubstituted lower alkanoyl, a substituted or unsubstituted lower alkoxycarbonyl, a substituted or unsubstituted aryl, a substituted or unsubstituted aroyl, a substituted or unsubstituted aroyl, a substituted or unsubstituted aralkyl, a substituted or unsubstituted heterocyclic group, -CONR<sup>7</sup>R<sup>8</sup> (wherein R<sup>7</sup> and R<sup>8</sup> have the same meanings as those defined above wherein R<sup>7</sup> and R<sup>8</sup>,

which may be the same or different, each represent a hydrogen atom, a substituted or unsubstituted lower alkyl, a substituted or unsubstituted cycloalkyl, a substituted or unsubstituted lower alkanoyl, a substituted or unsubstituted aryl, a substituted or unsubstituted heterocyclic group, a substituted or unsubstituted aralkyl a substituted or unsubstituted heterocyclic-alkyl or a substituted or unsubstituted aroyl, or R<sup>7</sup> and R<sup>8</sup> form a substituted or unsubstituted heterocyclic group together with the adjacent nitrogen atom), -NR<sup>9</sup>R<sup>10</sup> (wherein R<sup>9</sup> and R<sup>10</sup> have the same meanings as those defined above wherein R<sup>9</sup> and R<sup>10</sup>, which may be the same or different, each represent a hydrogen atom, a substituted or unsubstituted lower alkylsulfonyl, a substituted or unsubstituted lower alkyl, a substituted or unsubstituted cycloalkyl, a substituted or unsubstituted lower alkanoyl, a substituted or unsubstituted aryl, a substituted or unsubstituted heterocyclic group, a substituted or unsubstituted aralkyl, a substituted or unsubstituted heterocyclic-alkyl, a substituted or unsubstituted aroyl), or -OR<sup>13</sup> (wherein R<sup>13</sup> has the same meaning as that defined above wherein R<sup>13</sup> represents a substituted or unsubstituted lower alkyl, a substituted or unsubstituted lower alkenyl, a substituted or unsubstituted lower alkanoyl, a substituted or unsubstituted aryl, a substituted or unsubstituted heterocyclic group, a substituted or unsubstituted aralkyl or a substituted or unsubstituted heterocyclic-alkyl), R<sup>6A</sup> is a hydrogen atom, a halogen, a cyano, a nitro, a substituted or unsubstituted lower alkyl, a substituted or unsubstituted lower alkenyl, a substituted or unsubstituted lower alkynyl, a substituted or unsubstituted lower alkoxy, a substituted or unsubstituted cycloalkyl, a substituted or unsubstituted lower alkanoyl, an amino, a lower alkylamino, a di-lower alkylamino, a carboxy, a substituted or unsubstituted lower alkoxycarbonyl, a substituted or unsubstituted aryloxy, a substituted or unsubstituted aryl, a substituted or

unsubstituted heterocyclic group (but excepting a substituted or unsubstituted pyrazolyl), a substituted or unsubstituted aralkyl, or a substituted or unsubstituted heterocyclic-alkyl;

and provided that;

(i) when R<sup>3A</sup> and R<sup>5A</sup> are isopropyl,

then R<sup>6A</sup> is not a hydrogen atom;

(ii) when R<sup>3A</sup> and R<sup>5A</sup> are methyl,

then R<sup>6A</sup> is not a group selected from a hydrogen atom, a bromo, an ethyl, a 1-hydroxyethyl, a 1-(dimethylamino)ethyl, a vinyl and a carboxy;

(iii) when  $R^{4A}$  and  $R^{6A}$  are hydrogen atoms, and when  $R^{3A}$  and  $R^{5A}$  are the same and are tert-butyl or benzyl,

then  $-(CH_2)_{nA}R^{1A}$  is not a group selected from a hydroxymethyl and a 2-chloroallyl;

(iv) when  $R^{4A}$  and  $R^{6A}$  are hydrogen atoms, and when  $R^{3A}$  is a benzyl or an acetyl and  $R^{5A}$  is a methyl,

or when  $R^{3A}$ ,  $R^{4A}$  and  $R^{6A}$  are hydrogen atoms, and when  $R^{5A}$  is a methyl,

then  $-(CH_2)_{nA}R^{1A}$  is not a group selected from a 2-(acetylamino)propyl and a 2-(substituted lower alkanoylamino)propyl;

(v) when  $R^{3A}$ ,  $R^{4A}$  and  $R^{5A}$  are hydrogen atoms, and when  $R^{6A}$  is a carboxy, or when  $R^{4A}$ ,  $R^{5A}$  and  $R^{6A}$  are hydrogen atoms, and when  $R^{3A}$  is a methyl,

then  $-(CH_2)_{nA}R^{1A}$  is not an n-pentyl;

(vi) when  $R^{3A}$  and  $R^{4A}$  are hydrogen atoms,  $R^{5A}$  is a methyl, and  $R^{6A}$  is an ethyl,

then  $-(CH_2)_{nA}R^{1A}$  is not an n-propyl;

(vii) when  $R^{3A}$  is a methyl,  $R^{4A}$  and  $R^{6A}$  are hydrogen atoms, and  $R^{5A}$  is a 4-methoxybenzyl,

then -(CH2)nAR  $^{1A}$  is not a group selected from -(CH2)3CH=CH2 and -(CH2)5CH=CH2;

(viii) when  $R^{3A}$ ,  $R^{4A}$ ,  $R^{5A}$  and  $R^{6A}$  are hydrogen atoms, and when -  $(CH_2)_{nA}R^{1A} \ is$ 

(a) an n-pentyl,

then R<sup>2A</sup> is not a 2,4-dihydroxy-6-pentylphenyl,

(b) an n-hexyl,

then R<sup>2A</sup> is not a group selected from a 4,6-di(substituted phenyl)triazol-2-yl and a 3,6-di(substituted phenyl)-1,2,4-triazin-5-yl,

(c) an n-heptyl,

then R<sup>2A</sup> is not a substituted triazolyl;

(ix) when  $R^{3A}$  is a hydrogen atom or an acetyl,  $R^{5A}$  is a methyl, and  $R^{4A}$  and  $R^{6A}$  are hydrogen atoms, and when -(CH<sub>2</sub>)<sub>nA</sub> $R^{1A}$  is an ethyl or an n-propyl,

then R<sup>2A</sup> is not a 2-aminopyrimidin-4-yl having a substituent at the 5-position thereof,

(x) when  $R^{3A}$ ,  $R^{4A}$  and  $R^{5A}$  are hydrogen atoms,  $R^{6A}$  is a methoxy, and -  $(CH_2)_{nA}R^{1A}$  is a 3-methylbut-2-en-1-yl, or a 3-hydroxy-3-methylbutyl,

then R<sup>2A</sup> is not a group selected from a 7-hydroxy-4-oxo-4H-1-benzopyran-3-yl and a 6-methoxy-2,2-dimethyl-2H-1-benzopyran-8-yl],

or a pharmaceutically acceptable salt thereof.

- 13. (Original) The benzene derivative according to claim 12, wherein R<sup>2A</sup> is a substituted or unsubstituted phenyl, or a pharmaceutically acceptable salt thereof.
- 14. (Original) The benzene derivative according to claim 12, wherein R<sup>2A</sup> is a substituted or unsubstituted furyl, or a pharmaceutically acceptable salt thereof.
- 15. (Original) The benzene derivative according to any of claims 12 to 14, wherein R<sup>3A</sup> and R<sup>5A</sup>, which may be the same or different, each are a hydrogen atom, a substituted or unsubstituted lower alkanoyl, a substituted or unsubstituted aroyl, a

substituted or unsubstituted lower alkenyl, a substituted or unsubstituted lower alkylaminocarbonyl, a substituted or unsubstituted di-lower alkylaminocarbonyl, a substituted or unsubstituted lower alkoxycarbonyl, or a substituted or unsubstituted heterocyclic-carbonyl, or a pharmaceutically acceptable salt thereof.

- 16. (Original) The benzene derivative according to any of claims 12 to 14, wherein R<sup>3A</sup>, R<sup>4A</sup> and R<sup>5A</sup> are hydrogen atoms, or a pharmaceutically acceptable salt thereof.
- 17. (Original) The benzene derivative according to any of claims 12 to 14, wherein nA is an integer of 1 to 5, or a pharmaceutically acceptable salt thereof.
- 18. (Currently Amended) A pharmaceutical composition comprising, as an active ingredient, the benzene derivative according to any of elaims 12 to 17 claims 12 to 14 or a pharmaceutically acceptable salt thereof together with a pharmaceutically acceptable carrier.

Claims 19-26 (Cancelled).

27. (Currently Amended) A method of inhibiting a heat shock protein 90 (Hsp90) family protein, which comprises administering an effective amount of a benzene derivative according to any one of claims 1-4 represented by general formula (I):

(wherein n, R<sup>1</sup>, R<sup>2</sup>, R<sup>3</sup>, R<sup>4</sup>, R<sup>5</sup> and R<sup>6</sup> have the same meanings as those defined above) or, or a prodrug or a pharmaceutically acceptable salt thereof, to a patient in need thereof.

Claims 28-41 (Cancelled).